



Xerox® Phaser® 3330 Printer and Xerox® WorkCentre® 3335/3345 Multifunction Printer

Powerful, Built-In Productivity and Ready-To-Go Reliability



High-performance environments need higher-functioning devices.

Introducing the Phaser® 3330 and WorkCentre® 3335/3345 – designed to boost productivity with easy connectivity, day-in, day-out dependability and transformative features – ready to work.

Convenience and Connectivity

- **Wireless wonders.** Internal Wi-Fi connectivity comes standard for untethered mobility and the freedom to put your printer or multifunction device right where you need it. Our Wi-Fi installation wizard and Wi-Fi Print Setup (WPS) make getting connected secure and simple. And, with Wi-Fi Direct, mobile devices can connect directly and securely.
- **Upwardly mobile.** With support for Apple® AirPrint™, Google Cloud Print™, Xerox® Print Service Plug in for Android™ and Mopria®, you can print emails, photos and important documents from a wide range of mobile devices, instantly, and without complicated setup.
- **Increase security and control.** With optional USB card readers, you can enhance your office security and control costs by integrating with many popular pull print and authentication solutions.
- **Ready to pair.** Now workers can easily print from Android-based mobile phones and tablets with Near Field Communication (NFC) tap-to-pair.

Performance and Productivity

- **Multifunction productivity.** The space-saving WorkCentre 3335/3345 Multifunction Printer helps you conserve energy and reduce supplies costs by combining the functions of a copier, printer, colour scanner and fax into one affordable device.
- **Outstanding performance.** With hefty processing power and standard memory, you'll see your first print faster and get print speeds up to 42 ppm.
- **Print more for longer.** An optional second paper tray lets you load an extra 550 sheets at one time for extended interruption-free printing.
- **See the difference.** Your documents will show exceptional sharpness with up to 1200 x 1200 dpi image quality.
- **Reliable endurance.** A monthly duty cycle up to 80,000 prints means it is capable of high-demand print environments*.
- **Economic efficiency.** Available high capacity print cartridges reduce your total cost of ownership and demand less frequent replacement.

* 50,000 prints for WorkCentre 3335

Easy and Able

- **Touch and go.** The WorkCentre 3335/3345 Multifunction Printer takes walkup simplicity to a new level, with a larger 4.3-inch colour touchscreen interface.
- **Wherever, whenever and however.** Scan to email, or scan-to and print-from from a USB memory drive right at the device. You can even print directly from the cloud with a few simple steps.
- **Easy management.** With Xerox® CentreWare® Internet Services, remote device administration is handled with ease right from your computer's browser.
- **Stay secure.** Keep your sensitive documents away from unintended recipients with the latest security features, including IPsec, SNMPv3, IP Filtering and Secure Print.



Xerox® Phaser® 3330 Quick Facts

- Print up to 40 ppm
- Built-in Wi-Fi connectivity
- Standard 250-sheet paper capacity
- 50-sheet Bypass Tray
- Up to 1200 x 1200 dpi image quality

WxDxH:

14.4 x 14.4 x 11.4 in. /
366 x 366 x 289.6 mm

Weight:

23.37 lb / 10.6 kg



Xerox® WorkCentre® 3335/3345 Quick Facts

- Print up to 40 ppm (WorkCentre 3345)
- 50-sheet Automatic Document Feeder (ADF) with WorkCentre 3335
- 50-sheet Reversing Automatic Document Feeder (RADF) with WorkCentre 3345
- Built-in Wi-Fi connectivity
- Standard 250-sheet paper capacity
- 50-sheet Bypass Tray
- Up to 1200 x 1200 dpi image quality

WxDxH:


WorkCentre 3335: 16.3 x 16.6 x 17.7 in. / 414.6 x 420.6 x 449 mm
WorkCentre 3345: 18.5 x 17.5 x 19 in. / 469 x 444.3 x 482.6 mm

Weight:

WorkCentre 3335: 34.19 lb / 15.51 kg
WorkCentre 3345: 38.07 lb / 17.27 kg

Reliable and full-featured game-changing value.

The Xerox®WorkCentre® 3335/3345 Multifunction Printer builds on the outstanding print performance of the Xerox®Phaser® 3330, delivering a solid lineup of powerful productivity tools designed to make your daily office tasks more efficient than ever.



Phaser 3330



WorkCentre 3335



WorkCentre 3345

- 1 A 50-sheet Automatic Document Feeder (ADF) on the WorkCentre 3335 handles media sizes from 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 147 mm to 216 x 356 mm. Upgrade to the WorkCentre 3345 Multifunction Printer and get a 50-sheet Reversing Automatic Document Feeder (RADF) with the extra ability to scan, copy, fax and email two-sided originals.
- 2 A front-side USB port allows users to quickly print-from or scan-to any standard USB memory device.
- 3 Powerful colour scanning capabilities include Scan to Email, Network Scanning, Scan to Folder and Scan to USB memory device.
- 4 Adjustable 50-sheet bypass tray accepts custom media sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm.
- 5 250-sheet input tray accepts custom media sizes from 3.9 x 5.8 in. to 8.5 x 14 in. / 99 x 147 mm to 216 x 356 mm.
- 6 Choose an additional 550-sheet paper tray and increase total capacity to 850 sheets.
- 7 150-sheet output tray.
- 8 The WorkCentre 3335/3345 includes an intuitive front panel for configuring device settings and programming jobs.
- 9 Easily install a USB card reader with the convenient Card Reader Bay.

Xerox® Phaser® 3330 Printer and Xerox® WorkCentre® 3335/3345 Multifunction Printer

| | Phaser 3330 | WorkCentre 3335 | WorkCentre 3345 |
|----------------------------------|---|--|---|
| Speed | Up to 42 ppm Letter / 40 ppm A4 | Up to 35 ppm Letter / 33 ppm A4 | Up to 42 ppm Letter / 40 ppm A4 |
| Duty Cycle | Up to 80,000 pages / month ¹ | Up to 50,000 pages / month ¹ | Up to 80,000 pages / month ¹ |
| Paper Handling Paper Input | Standard | Automatic Document Feeder (ADF): 50 sheets: Custom sizes: 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 147 mm to 216 x 356 mm | Reversing Automatic Document Feeder (RADF): 50 sheets: Custom sizes: 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 147 mm to 216 x 356 mm |
| | | Bypass Tray: 50 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm | |
| | Tray 1: 250 sheets; Custom sizes: 3.9 x 5.8 in. to 8.5 x 14 in. / 99 x 147 mm to 216 x 356 mm | | |
| | Optional | Additional Tray: 550 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm | |
| Paper Output | 150 sheets | | |
| Automatic Two-sided Printing | Standard | | |
| Print | First-print-out Time | As fast as 6.5 seconds ² | |
| Print Resolution (max) | | Up to 1200 x 1200 dpi image quality | |
| Processor | | 1 GHz | |
| Memory | | 512 MB | 1.5 GB |
| Connectivity | | USB 2.0 (front and rear ports), 10/100/1000Base-T Ethernet, Wi-Fi | |
| Page Description Languages | | Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG | |
| Print Features | | Watermark, Collation, Auto 2-sided prints, N-up, Poster, Booklet print, Custom page size, Fit to page, Scaling, Draft mode, Earth Smart mode, Print from USB, Job scheduling, Print from local drive, Save, Save and Print | |
| Mobile Printing and Apps | Standard | Apple® AirPrint™, Google Cloud Print™ ³ | |
| | Free Download | Xerox® Print Service Plug-in for Android™, Mopria® | |
| Copy | First-copy-out Time | As fast as 13 seconds from the platen | |
| Copy Resolution (max) | | Up to 600 x 600 dpi | |
| Copy Features | | Automatic background suppression, Darkness control, ID Card Copy, Margin shift, N-up, Job build, Photo mode, Programme Ahead, Booklet creation, Book copying with centre erase, Job interrupt, Edge erase, Poster copying | |
| Fax ⁴ Fax Features | NA | 33.6 Kbps with MH/MR/MMR/JBIG/JPEG compression, Address book (up to 200 speed dials, 209 group dials), Resolution up to 300 x 300 dpi, Auto redial, Auto reduction, Delayed Send, Fax Forward to Email/Fax, Junk fax protection, Memory Receive, PC Fax (Windows® only), Secure Fax, Colour Fax Send | |
| Scan Scan Destinations | NA | Scan to Network Computer (SMB/ FTP), Scan to Email (SMTP/POP3), WSD, Application (TWAIN USB/ Network), WIA (USB/WSD Scan), Mac® 10.9 or later (USB/Network/Mac ICA), USB | |
| Scan Features | | Up to 600 x 600 dpi (optical); Maximum 4800 x 4800 dpi (enhanced), 8-bit greyscale, PDF/JPEG/TIFF (single and multi-page) | |
| Security | 802.1x, Secure Print, Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, IPsec, WEP (64-/128-bit), WPA2-PSK (AES) and WPA/ WPA2-Personal and WPA/WPA2-Enterprise | 802.1x, Secure Print, Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, WEP (64-/128-bit), WPA2-PSK (AES) and WPA/WPA2-Personal and WPA/WPA2-Enterprise, Network Address Book Authentication (LDAP, Windows Kerberos) | |
| Warranty | One-year on-site warranty (geography dependent) | | |

Device Management

Xerox® CentreWare® Internet Services, CentreWare Web, Email alerts, Apple® Bonjour®

Print Drivers

Microsoft® Windows Vista® and later, Mac OS® 10.8 and later, various Linux® and Unix® distributions, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Media Handling

Automatic Document Feeder (3335): 16 lb – 28 lb Bond / 60 – 105 gsm; Reversing Automatic Document Feeder (3345): 12.5 lb – 28 lb Bond / 50 – 105 gsm; Bypass Tray: 16 lb Bond – 58 lb Cover / 60 – 220 gsm; Tray 1: 16 lb – 43 lb Bond / 60 – 163 gsm

Media Types

Archive, Bond, Card Stock, Custom, Envelopes, Heavyweight, Labels, Lightweight, Plain paper, Pre-printed, Recycled, Transparencies

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.

Operating Environment

Temperature: Storage: 32° to 104° F / 0° to 40° C; Operating: 50° to 90° F / 10° to 32° C; Humidity: Operating: 20% to 80%; Sound power and pressure levels: 3330: Printing: 54 dB(A), Standby: 26 dB(A); 3335: Printing/copying: 55 dB(A), Standby: 26 dB(A); 3345: Printing/copying: 57 dB(A), Standby: 26 dB(A); Warm-up time (from sleep mode): as fast as 35 seconds

Electrical

Power: 110 – 127 VAC, 50/60 Hz, 7A or 220 – 240 VAC, 50/60 Hz, 5A; Power Consumption: Operation: max 700 W; Standby: max 50 W; Sleep: max 3.5 W; Power off: max 0.1 W

What Comes in the Box

- Phaser 3330, WorkCentre 3335 or WorkCentre 3345
- Standard Toner Cartridge (2,600 pages⁵)
- Drum Cartridge (30,000 pages⁵)
- Software and Documentation CD (with Safety, Regulatory, Recycling and Disposal Guides), Print Drivers and Warranty Statement
- Installation Guide
- Quick Use Guides
- Power Cable
- Fax Cord (WorkCentre 3335 and WorkCentre 3345 only)

Supplies

| | |
|--|-----------|
| Extra-high Capacity Print Cartridge: | |
| 15,000 std. pages ⁵ | 106R03623 |
| High Capacity Print Cartridge: 8,500 std. pages ⁵ | 106R03621 |
| Drum Cartridge: 30,000 pages ⁶ | 101R00555 |

Options

| | |
|---|-----------|
| 550-sheet Paper Tray | 097N02254 |
| NFC Enablement Kit | 097N02255 |
| Phaser 3330 Card Reader Enablement Kit (without card reader) | 497K18010 |
| WorkCentre 3335/3345 Card Reader Enablement Kit (without card reader) | 497K17990 |

¹ Maximum volume capacity expected in any one month.

² Not expected to be sustained on a regular basis.

³ Printing from USB.

⁴ Depending on specific mobile device versions or vendor, the mobile device may require a free download of the app from the appropriate store.

⁵ Requires analogue phone line.

⁶ Average standard pages. Declared Yield in accordance with ISO/IEC 19752.

Yield will vary based on image, area coverage and print mode.

⁷ Approximate pages. Declared Yield based on letter-/A4-size 20 lb (75 gsm) pages.

Yield will vary based on media type, size, weight, orientation and usage patterns.

For more information, visit us at www.xerox.com/office

